

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (Ingress adj port) same (address or priority) and (grant\$3 or fan\$4) same (data or cell or packet or frame or service or request) and compar\$3 with request with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:00
L2	0	(switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (Ingress adj port) same (address or priority) and (grant\$3 or fan\$4) same (data or cell or packet or frame or service or request) and compar\$3 with request with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:03
L3	0	(switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((Ingress or egress) adj port) same (address or priority) and (grant\$3 or fan\$4) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:04

L4	0	(switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:05
L5	2	(switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:06
L6	0	709/225.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:07
L7	0	709/229.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:07

L8	0	709/232.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:08
L9	0	709/234.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:08
L10	0	709/240.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:08

L11	0	"709"/\$ and (switch or crossbar) same (multicast \$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:08
L12	0	370/230.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:09
L13	0	370/387.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:09

L14	0	370/390.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:09
L15	1	370/412.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:09
L16	0	370/428.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:10

L17	0	370/450.ccls. and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:11
L18	2	"370"/\$ and (switch or crossbar) same (multicast \$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:11
L19	2	(switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (request or data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:15
L20	2	(switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and ((ingress or egress) adj port) and (grant\$3 or fan \$4 or assert\$3 or arrang \$3) same (data or cell or packet or frame or service or request) and compar\$3 with priority same (data or cell or packet or frame or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 19:15

		service or request)				
S7	451	@ad< "20021122" and (switch same multicast\$3 same (data or cell)) and (address same priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:09
S8	4	@ad< "20021122" and (switch same multicast\$3 same (data or cell)) and (register\$3 with address) same priority and (assert \$3 or grant\$3) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:14
S9	0	@ad< "20021122" and (configur\$3 same switch same multicast\$3) and (register\$3 with address) same priority and (assert \$3 or grant\$3 or arrang \$3) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:15
S10	4	@ad< "20021122" and (configur\$3 or data or cell) same switch same multicast\$3 and (register \$3 with address) same priority and (assert\$3 or grant\$3 or arrang\$3) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:15
S11	7	@ad< "20021122" and (configur\$3 or data or cell or crossbar) same switch and (register\$3 with address) same priority and (assert\$3 or grant\$3 or arrang\$3) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:16
S12	0	@ad< "20021122" and (register\$3 with address) same priority same (ingress or port) and (assert\$3 or grant\$3 or arrang\$3) with multicast \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:17
S13	3	@ad< "20021122" and (register\$3 with address) same priority same (ingress or port) and (assert\$3 or grant\$3 or arrang\$3) same multicast \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:20

S14	0	@ad< "20021122" and (register\$3 with address) same priority same (ingress adj port) and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:20
S15	54	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:21
S16	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:21
S17	54	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:22
S18	52	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) and (unicast\$3 or multicast\$3) near3 (data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:22
S19	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) and priority same (unicast\$3 or multicast\$3) near3 (data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:23

S20	52	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) and (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:23
S21	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) same (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:23
S22	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) same (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:24
S23	52	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) and (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell) and (configur\$3 or crossbar) near3 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:30

S24	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch or multicast\$3 or request or service) and (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell) same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:30
S25	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch \$3 or multicast\$3 or request or service) and (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell) same switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:31
S26	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch \$3 or multicast\$3 or request or service) and (check\$3 or select\$3 or register\$3) with priority and (unicast\$3 or multicast\$3) near3 (data or cell) same (switch\$3 or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:31
S27	52	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (switch \$3 or multicast\$3 or request or service) and (check\$3 or select\$3 or register\$3) same (switch \$3 or priority) and (unicast\$3 or multicast \$3) near3 (data or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:32

S28	54	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and multicast\$3 same (data or cell or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:33
S29	0	@ad< "20021122" and (register\$3 with address) with (ingress adj port) and multicast\$3 same (data or cell or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:33
S30	54	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and multicast\$3 with (data or cell or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:33
S31	5	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and multicast\$3 with (data or cell or priority) and (assert\$3 or grant\$3 or arrang\$3) near3 (multicast\$3 or service or request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:36
S32	0	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) near3 (multicast\$3 or service or request) with (data or cell or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:36
S33	5	@ad< "20021122" and (register\$3 with address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) near3 (multicast\$3 or service or request) same (data or cell or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:37
S34	3	@ad< "20021122" and (register\$3 with address) with (ingress adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:39

S35	72	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3) with (multicast or unicast or data or cell or stream or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:41
S36	0	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (assert\$3 same grant\$3 same arrang\$3) with (multicast or unicast or data or cell or stream or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:41
S37	5	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (assert\$3 and grant\$3 and arrang\$3) with (multicast or unicast or data or cell or stream or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:42
S38	20	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (assert\$3) with (multicast or unicast or data or cell or stream or packet) and (grant\$3) with (multicast or unicast or data or cell or stream or packet) and (schedul\$3 or queue\$4 arrang\$3) with (multicast or unicast or data or cell or stream or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:52

S39	20	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (assert\$3) with (multicast or unicast or data or cell or stream or packet or frame) and (grant\$3) with (multicast or unicast or data or cell or stream or packet or frame) and (schedul\$3 or queu\$4 arrang\$3) with (multicast or unicast or data or cell or stream or packet or frame) and priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 19:55
S40	23	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (multicast \$3 and unicast\$3) same priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:04
S41	79	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (multicast \$3 same unicast\$3) and priorit\$5 and (configur\$3 or schedul\$3 or balanc \$3) with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:05
S42	0	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (multicast \$3 same unicast\$3) and priorit\$5 and (configur\$3 or schedul\$3 or balanc \$3) with crossbar near3 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:05

S43	22	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address) same (ingress adj port) and (multicast\$3 same unicast\$3) same priorit\$5 and (configur\$3 or schedul\$3 or balanc\$3) with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:06
S44	11	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) same (multicast\$3 same unicast\$3) same priorit\$5 and (configur\$3 or schedul\$3 or balanc\$3) same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:11
S45	11	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) same (multicast\$3 same unicast\$3) same priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:12
S46	1	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) with (multicast\$3) same priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:13

S47	60	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) with (multicast\$3 or service or request) same priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:13
S48	0	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) with (multicast\$3 near3 (service or request)) same priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:13
S49	52	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) with (multicast\$3 or service or request) same priorit\$5 and (multicast same unicast) near3 (data or cell or packet or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:14
S50	7	@ad< "20021122" and (identif\$4 or register\$3 or provid\$3 or recogniz\$3) with (priority or address or source or destination) same (ingress adj port) and (assert\$3 or grant\$3 or arrang\$3 or schedul\$3) with (multicast\$3 or service or request) and priorit\$5 same (multicast same unicast) near3 (data or cell or packet or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:21

		(frame)				
S51	0	@ad< "20021122" and switch same priorit\$5 same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 near generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:22
S52	30	@ad< "20021122" and switch same priorit\$5 same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 same (multicast \$3 or service or request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:23
S53	9	@ad< "20021122" and switch same priorit\$5 same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 same (multicast \$3 or service or request) and (ingress adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:33
S54	35	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 same (multicast \$3 or service or request) same priority and (ingress adj port) same (address or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:36
S55	31	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 same (multicast \$3 or service or request) same priority and (ingress adj port) same (register\$3 or recogniz\$3 or identif\$4 or detect\$3) with (address or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:38

S57	32	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 same (multicast\$3 or service or request) and (ingress adj port) same (register\$3 or recogniz\$3 or identif\$4 or detect\$3) with (address or priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:33
S58	24	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and grant\$3 same (multicast\$3 or service or request) and (ingress adj port) and "709"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 20:39
S60	0	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (ingress adj port) same (register\$3 or recogniz\$3 or identif\$4 or detect\$3) with (address or priority) and (grant\$3 and fan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:34
S61	1	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (ingress adj port) same (address or priority) and (grant\$3 and fan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:41
S62	1	@ad< "20021122" and (switch or crossbar) same (multicast\$3) with (data or cell or packet or frame or service or request) and (ingress adj port) same (address or priority) and (grant\$3 and fan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:38

S63	2	@ad< "20021122" and (switch or crossbar) same (multicast\$3) with (data or cell or packet or frame or service or request) same (address or priority) and (grant\$3 and fan\$4) and (ingress adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:38
S64	1	@ad< "20021122" and (multicast\$3) with (data or cell or packet or frame or service or request) and (ingress adj port) same (address or priority) and (grant\$3 and fan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:38
S65	7	@ad< "20021122" and (multicast\$3) with (data or cell or packet or frame or service or request) same (address or priority) and (grant\$3 and fan\$4) and (ingress adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:38
S66	56	@ad< "20021122" and (switch or crossbar) same (multicast\$3) near3 (data or cell or packet or frame) and (ingress adj port) same (address or priority) and (grant\$3 or fan\$4) same (data or cell or packet or frame or service or request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 18:13
S86	23	@ad< "20021122" and address same payload same stor\$3 same ingress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 18:54
S87	12	@ad< "20021122" and address same (payload with stor\$3) same ingress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 18:55
S88	2	@ad< "20021122" and (address with location) same (payload with stor\$3) same ingress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:35

S89	0	@ad< "20021122" and (multicast\$3 near3 queue) same ("32" near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:36
S90	15	@ad< "20021122" and (multicast\$3 same queue) same (("32" or plurality) near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 13:01
S94	5	@ad< "20021122" and (multicast\$3 same (buffer or storage or queue)) same (("32" near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 13:02
S95	18	@ad< "20021122" and (multicast\$3 same (buffer or storage or queue)) same (("32" or plurality) near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 13:02

6/3/2008 7:16:25 PM

C:\Documents and Settings\nguyen4\My Documents\EAST\Workspaces
 \10645787_MulticastDataCellSwitch.wsp